

Joint Committee Rules Update: Open Issues

Solicited Feedback; “Warning Label”

*Presentation for Rules sessions of DAML PI Meeting,
Oct. 16-18, 2003, Captiva, FL, USA. <http://www.daml.org>*

Benjamin Grosf*

MIT Sloan School of Management

bgrosof@mit.edu <http://www.mit.edu/~bgrosof/>


Thanks to Mike Dean* for agenda suggestions.

* co-leads of DAML Rules effort

OUTLINE OF SLIDES

- “Warning Label” for OWL Rules
 - Directions for extending expressiveness
- Key Issues for Feedback – overview
- Prioritization of Next Steps
- *Discussion*

Venn Diagram: Expressive Overlaps among KR's



2 Extensibility Paths:

- Towards LP

- Towards DL, FOL

“Warning Label” for OWL Rules:

Usage Suggestions -- Interoperability and Extensibility Cautions


- It may be desirable to **restrict expressiveness of rules**, for:
 - interoperability, reusability, extensibility, scalability, implementation
- A useful restriction: **named classes** only
 - Rules avoid direct complex class descriptions; instead **refer to OWL**
 - Maximizes **interoperability** with currently commercially important (CCI) **rule** systems and RuleML
 - Maximizes **interoperability** of **ontology** knowledge with OWL-speaking systems

“Warning Label” for OWL Rules cont.’d

Usage Suggestions -- Interoperability and Extensibility Cautions

- It may also be desirable to **restrict expressiveness of OWL class definitions**.
- A useful restriction: **Description Logic Programs (DLP)**
 - avoids, e.g., existential/disjunction in rule consequent
 - enables **extensibility to procedural attachments** cf. CCI rules and RuleML
 - enables **extensibility to nonmonotonic reasoning** (negation-as-failure, prioritized conflict handling) cf. CCI rules and RuleML
 - guarantees **computational tractability** of complete rule+ontology inferencing
 - enables **completeness in combining** OWL Rules KB + CCI/RuleML rules KB
- The full KR of OWL Rules draft (= Horn FOL \cup OWL) is not well studied
 - Need to use full FOL theorem-prover, for time being
- For more: Joint Committee archives <http://www.daml.org/committee> → archives

Venn Diagram: Expressive Overlaps among KR's



2 Extensibility Paths:

- Towards LP

- Towards DL, FOL

Key Decisions: Soliciting Feedback

- current "Lite" subset: Horn, Datalog, binary predicates, ...
- integration with OWL: syntax, semantics
- semantics: DL vs. LP, "warning label"
- syntax: which are (most) useful:
 - non-RDF XML representation of rules
 - OWL XML Presentation Syntax
 - RuleML subset syntax: in XML, in RDF
- explicit equality: desirable (some hair in LP)
- language naming:
 - "Rules Lite", "DAML Rules", "OWL Rules", ?other

Prioritization of Next Steps: Technical

- human-consumption string syntax
- built-ins, procedural attachments for querying/sensing
- modules
- n-ary predicates: slotted/unordered, ordered
- logical functions
- negation-as-failure
- prioritized conflict handling (default reasoning)
- procedural attachments for actions/effecting
- extensions towards FOL / Simple Common Logic
- ...

Prioritization of Next Steps: Process

- Requirements and feedback from relevant communities/sources:
 - Semantic Web Services: OWL-S; SWSI Lang., Arch., Industrial Partners
 - Rules-related standards efforts and industry/companies:
 - via RuleML, W3, OMG, Java communities
 - OWL'ers: DAML'ers, ...
 - Others: W3 staff, DAML-Security, DB (SQL, Xquery), RDF Query, ...
- Use cases, application scenarios
- *Wanted: volunteers* to implement and use

Discussion

- What are some requirements you think are important?
- What do you think about the key decision issues?